



## Dräger VARIOx-2

Electronical measuring device for the gas concentration measurement

The Dräger VARIOx-2 is used to test and adjust furnaces and auxiliary heating. Optimising combustion to save energy and short-term emission measurement are just as possible as checking limits.



## Product advantages

---

### **Ergonomic design**

The handy design makes the Dräger VARIOx-2 light and comfortable.

---

### **Long sensor life**

The long sensor life makes the VARIOx-2 particularly cost-effective.

---

### **Determining gas concentrations**

Determines gas concentration quickly and accurately. In addition to check measurements in combustion plants, optimising combustion to save energy and short-term emission measurement, it can also troubleshoot or check limits.


---

### **Documentation**

Measurements can be output on site via IR printer. The VARIOx-2 further features a PC interface for online data upload.

---

## Accessory



---

**Plug-in charger, 100 V - 240 V**



---

**Plug-in charger, 100 V - 240 V**

International



---

**Gas probe Al**

Incl. mounting cone, 0.7 m hose (up to 200 °C)



---

**Gas probe stainless steel**

Up to 600 °C, 0.7 m hose

## Accessory



5600613

---

### Gas probe for auxiliary heatings

Copper, up to 250 °C, 0.7 m hose, incl. clip



5600755

---

### Special PC-cable



5600401

---

### MSI IR3 Infrared printer

For immediate documentation of all values and results



5600807

---

### Equipment case

Plastic, black

## Accessory



5600401

### Drying pearls refill

Approx. 35 g

## Related product groups



5603061

### Dräger FG4200

The flue gas measuring device is particularly handy and compact and weighs only 356 g. Suitable for service and maintenance work, it features a high-quality colour touch screen.



5600740

### Dräger EM200

For measuring oxygen, carbon monoxide, combustion air temperature, flue gas temperature, micro-draft, fine draft and differential pressure. Additional equipment can be connected to the multifunction jack. The device can optionally be equipped with NO measuring channel, etc.



5600822

### Dräger EM200plus

For measuring oxygen, carbon monoxide, combustion air temperature, exhaust fume temperature, micro-draft, fine draft and differential pressure. A colour touch screen, built-in help function and extensive measurement and customer data manager complete this versatile product.

## Technical Data

Display	LC display, 4-digit
Interface	RS232 for PC connection, infrared for printer
Power supply	Rechargeable battery: NiMH, 1.2 V / 2,000 mAh; power adapter: 7.5 V DC / 0.5 A
Operating time	~ 8 h
Gas extraction	Membrane pump for transporting flue gas
Gas conditioning	Flexible position gas conditioning cartridge with condensate collector and particle filter
Operating temperature	+ 5 °C up to + 40 °C
Storage temperature	- 20 °C up to + 50 °C
Air pressure	800 ... 1,100 hPa
Humidity	10 - 90 % RH non-condensating
Dimensions	approx. 80 x 160 x 40 mm (hwxwd)
Weight	approx. 300 g

Device Type	Principle of measurement	Measuring Range	Resolution	Accuracy
VARIOx-2 CO <sub>2</sub>	El.-chem. sensor calculated	0 ... CO <sub>2</sub> max.	0.1 Vol. %	± 0.3 Vol. %

## Order information

Accessory	
MSI IR3 Infrared Printer	56 00 401
Printer paper, packing unit 5 rolls	56 90 151
Measuring kits/base units	
Measuring kit Dräger VARIOx-2 CO <sub>2</sub>	56 03 019
Incl. VARIOx-2 CO <sub>2</sub> , plug-in charger, equipment case, gas probe for auxiliary heatings (copper)	
Measuring kit Dräger VARIOx-2 CO <sub>2</sub>	56 00 751
Incl. VARIOx-2 CO <sub>2</sub> , plug-in charger, gas probe for auxiliary heatings (copper), drying pearls, consumable-set 2	

## Notes

**Dräger MSI GmbH**  
Rohrstraße 32  
58093 Hagen, Germany

[www.draeger-msi.de](http://www.draeger-msi.de)

**CANADA**  
Draeger Safety Canada Ltd.  
2425 Skymark Ave  
Mississauga, Ontario, L4W 4Y6  
Tel +1 905 821 8988  
Toll-free +1 877 Drager 1  
(+1 877 372 4371)  
Fax +1 905 821-2565  
Toll-free Fax +1 800 329 8823

**P. R. CHINA**  
Draeger Safety Equipment  
(China) Co., Ltd.  
A22 Yu An Rd, B Area,  
Tianzhu Airport Industrial Zone,  
Shunyi District, Beijing 101300  
Tel +86 10 80 49 80 00  
Fax +86 10 80 49 80 05

**AUSTRALIA**  
Draeger Safety Pacific Pty. Ltd.  
8 Acacia Place  
Notting Hill VIC 3168  
Toll-free +61 1800 DRAGER  
(1800 372 437)  
Fax +61 1800 64 74 84

**FRANCE**  
Dräger Safety France SAS  
25, rue Georges Besse  
92182 Antony Cedex  
Tel +33 1 46 11 56 00  
Fax +33 1 40 96 97 20

**MEXICO**  
Draeger Safety S.A. de C.V.  
Av. Peñuelas No. 5 Bodega  
No. 37  
Fraccionamiento Industrial  
San Pedrito  
Querétaro, Qro México  
Tel +52 442 246-1113  
Fax +52 442 246-1114

**NETHERLANDS**  
Dräger Safety Nederland B.V.  
Edisonstraat 53  
2700 AH Zoetermeer  
Tel +31 79 344 46 66  
Fax +31 79 344 47 90

**REGION ASIA PACIFIC**  
Draeger Safety Asia Pte Ltd.  
67 Ayer Rajah Crescent #06-03  
Singapore 139950  
Tel +65 68 72 92 88  
Fax +65 65 12 19 08

**REGION CENTRAL  
AND SOUTH AMERICA**  
Dräger Panama S. de R.L.  
Complejo Business Park,  
V tower, 10th floor  
Panama City  
Tel +507 377-9100  
Fax +507 377-9130  
[contactcsa@draeger.com](mailto:contactcsa@draeger.com)

**REGION MIDDLE EAST, AFRICA**  
Dräger Safety AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

**SPAIN**  
Dräger Safety Hispania S.A.  
Calle Xaudaró 5  
28034 Madrid  
Tel +34 91 728 34 00  
Fax +34 91 729 48 99

**UNITED KINGDOM**  
Draeger Safety UK Ltd.  
Blyth Riverside  
Business Park  
Blyth, Northumberland  
NE24 4RG  
Tel +44 1670 352-891  
Fax +44 1670 356-266

**USA**  
Draeger Safety, Inc.  
101 Technology Drive  
Pittsburgh, PA 15275  
Tel +1 412 787 8383  
Fax +1 412 787 2207

**HEADQUARTERS**  
Drägerwerk AG & Co. KGaA  
Moislinger Allee 53-55  
23558 Lübeck, Deutschland  
[www.draeger.com](http://www.draeger.com)